


IN THE CLAIMS

1. (currently amended) A ~~uracil~~ compound having general formula (I):



(I)

wherein:

- $X_1$  represents a hydrogen atom or a halogen atom;
- $X_2$  represents a halogen atom;
- $X_4$  represents a  $C_1$ - $C_3$  haloalkyl group;
  - $R$  represents a hydrogen atom, a  $C_1$ - $C_3$  alkyl group or a  $C_1$ - $C_3$  haloalkyl group;
  - $G$  represents an oxygen atom or a sulphur atom;
  - $X_3$  represents a  $Q(CR_1R_2)_nZ-$  group, a  $Q_2-$  group, a  ~~$Y(OC)-$~~   
 ~~$CR_6=CR_5-CR_3R_4Z-$~~   $Y(CO)-CR_6=CR_5-CR_3R_4Z-$  group;
  - $Z$  represents an oxygen atom or a sulphur atom;
  - $R_1$ ,  $R_2$ ,  $R_3$  and  $R_4$ , the same or different, represent a hydrogen atom or, a  $C_1$ - $C_4$  alkyl group;
  - $R_5$  represents an  $OR_7$  group;
  - $R_6$  represents a hydrogen atom or a  $C_1$ - $C_4$  alkyl group;
  - $R_7$  represents a  $C_1$ - $C_4$  alkyl group or a  $C_1$ - $C_4$  haloalkyl group;
  - $Y$  represents a  $C_4$ - $C_6$  alkoxy or haloalkoxy group;
  - $n$  represents 1, 2 or 3;
  - $Q$  represents a heterocyclic group selected from 1,3,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, said groups, in turn, being optionally substituted with a halogen atom selected from chlorine, fluorine, bromine or iodine, or with a group selected from  $C_1$ - $C_6$  alkyl or  $C_1$ - $C_6$  haloalkyl,  $C_2$ - $C_6$  alkenyl or  $C_2$ - $C_6$  haloalkenyl,  $C_2$ - $C_6$  alkynyl or  $C_2$ - $C_6$  haloalkynyl,

- Q<sub>2</sub> represents a heterocyclic group selected from 1H-tetrazol-5-yl or 2H-tetrazol-5-yl, being optionally substituted with a group selected from: C<sub>1</sub>-C<sub>6</sub> alkyl; C<sub>1</sub>-C<sub>6</sub> haloalkyl; C<sub>2</sub>-C<sub>6</sub> alkenyl; C<sub>2</sub>-C<sub>6</sub> haloalkenyl; C<sub>2</sub>-C<sub>6</sub> alkynyl; C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>2</sub>-C<sub>6</sub> alkoxyalkyl; C<sub>2</sub>-C<sub>6</sub> haloalkoxyalkyl; C<sub>3</sub>-C<sub>8</sub> alkoxyalkoxyalkyl, C<sub>6</sub>-C<sub>12</sub> arylalkyl, C<sub>7</sub>-C<sub>12</sub> aryloxyalkyl, C<sub>8</sub>-C<sub>12</sub> arylalkyloxyalkyl said groups in turn being optionally substituted with halogen atoms, C<sub>1</sub>-C<sub>4</sub> alkyl groups, C<sub>1</sub>-C<sub>3</sub> haloalkyl groups, C<sub>1</sub>-C<sub>4</sub> alkoxy groups, C<sub>1</sub>-C<sub>3</sub> haloalkoxy groups, CN; C<sub>3</sub>-C<sub>7</sub> cycloalkyl, C<sub>6</sub>-C<sub>12</sub> cycloalkylalkyl, tetrahydropyran-2-yl said groups in turn being optionally substituted with halogen atoms, C<sub>1</sub>-C<sub>4</sub> alkyl groups, C<sub>1</sub>-C<sub>4</sub> alkoxy groups.

2. (currently amended): A ~~uracil~~ compound according to claim 1, characterized in that it is selected from:

- methyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;
- methyl (2E)-4-(2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy)-3-methoxybut-2-enoate;
- methyl (2E)-4-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-

methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxybut-2-enoate;  
-ethyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;  
-methyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxybut-2-enoate;  
-ethyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;  
-isopropyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
- methyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-methyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-ethyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;  
-isopropyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-

methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-2,2,2-trifluoroethyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
-2,2,2-trifluoroethyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;  
- 3-{5-[(5-tert-butyl-1,3,4-oxadiazol-2-yl)methoxy]-4-chloro-2-fluorophenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
- 3-[4-chloro-3-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(2-methyl-2H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(1-methyl-1H-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-

(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-  
(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(2-methyl-2H-tetrazol-5-yl)phenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
- 3-[2,4-dichloro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-6-  
(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[2,4-dichloro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-6-  
(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-  
1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[2,4-dichloro-5-(2-methyl-2H-tetrazol-5-yl)phenyl]-1-  
methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(2-ethyl-2H-tetrazol-5-yl)phenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(1-methyl-1H-tetrazol-5-yl)phenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-  
1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
- 3-[2,4-dichloro-5-(1-methyl-1H-tetrazol-5-yl)phenyl]-1-

methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-(1-ethyl-1H-tetrazol-5-yl)phenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-methyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-  
methyl-6-oxo-2-thioxo-4-(trifluoromethyl)pyrimidin-1-  
yl]phenoxy}-3-methoxybut-2-enoate;  
- methyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-  
difluoromethyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-  
yl]phenoxy}-3-methoxybut-2-enoate;  
-methyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-  
2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-  
methoxypent-2-enoate;  
-methyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-  
methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-  
yl]phenoxy}-3-methoxypent-2-enoate;  
-ethyl (2E)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-  
2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-  
methoxybut-2-enoate;  
-ethyl (2E)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-  
methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-  
yl]phenoxy}-3-methoxybut-2-enoate;  
-3-(4-chloro-3-[2-(methoxymethyl)-2H-tetrazol-5-yl]phenyl)-  
1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-(4-chloro-3-[1-(methoxymethyl)-1H-tetrazol-5-yl]phenyl)-

1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-{4-chloro-3-[2-(ethoxymethyl)-2H-tetrazol-5-yl]phenyl}-  
1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-{4-chloro-3-[1-(ethoxymethyl)-1H-tetrazol-5-yl]phenyl}-  
1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[3-(2-allyl-2H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[3-(1-allyl-1H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-{4-chloro-2-fluoro-5-[(5-methyl-1,2,4-oxadiazol-3-  
yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-{2,4-dichloro-5-[(5-methyl-1,2,4-oxadiazol-3-  
yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-{4-chloro-2-fluoro-5-[(3-methyl-1,2,4-oxadiazol-5-  
yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-[4-chloro-2-fluoro-5-(1,2,4-oxadiazol-3-  
ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-[3-(2-tert-butyl-2H-tetrazol-5-yl)-4-chlorophenyl]-1-  
methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-(4-chloro-3-{2-[(2-methoxyethoxy)methyl]-2H-tetrazol-5-



yl)phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-(4-chloro-3-[1-[(2-methoxyethoxy)methyl]-1H-tetrazol-5-  
yl)phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-[4-chloro-3-(2-isopropyl-2H-tetrazol-5-yl)phenyl]-1-  
methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[3-(2-benzyl-2H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[3-(1-benzyl-1H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-  
6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-methyl (2E)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-  
2,6-dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-  
methoxybut-2-enoate;  
-ethyl (2E)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-  
dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-  
ethoxybut-2-enoate;  
-3-[4-chloro-3-(1,2,4-oxadiazol-3-ylmethoxy)phenyl]-1-  
methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;  
-3-[4-chloro-3-[1-(cyclopropylmethyl)-1H-tetrazol-5-  
yl]phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-  
pyrimidinedione;  
-3-[4-chloro-3-[2-(cyclopropylmethyl)-2H-tetrazol-5-  
yl]phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-

pyrimidinedione;

- 3-[3-(2-butyl-2H-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

- 3-(4-chloro-3-{2-[(4-chlorophenoxy)methyl]-2H-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-(4-chloro-3-{1-[(4-chlorophenoxy)methyl]-1H-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-{4-chloro-3-[2-(4-chlorobenzyl)-2H-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-3-{4-chloro-3-[1-(4-chlorobenzyl)-1H-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1H,3H)-pyrimidinedione;

-methyl 2-(2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl)-1,3-thiazole-4-carboxylate;

-methyl (2-(2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl)-1,3-thiazol-4-yl)acetate.

3-24. (canceled)

25. (currently amended): A The composition containing, as active principle, one or more compounds having general formula (I) according to claim 1.

26. (canceled)

27. (canceled)

28. (previously presented): The composition according to claim 25, characterized in that the concentration of the active substance ranges from 1 to 90%.

29. (currently amended): A ~~uracil~~ compound as defined in claim 1 wherein Q is 1,2,4-oxadiazolyl.

30. (currently amended): A ~~uracil~~ compound as defined in claim 1 wherein Q is 5-methyl-1,2,4-oxadiazolyl.